



SunLong Biotech Co.,LTD  
Tel: 0086-571- 56623320 Fax:0086-571- 56623318  
E-mail:sales@sunlongbiotech.com  
www.sunlongbiotech.com

## **[KD-Validated] Anti-Frizzled class receptor 9 Rabbit Monoclonal Antibody**

Cat No.: KD-10390

### **Aliases:**

FZD9; Frizzled Class Receptor 9; FZD3; CD349; Frizzled 9, Seven Transmembrane Spanning Receptor; Frizzled Family Receptor 9; Frizzled-9; Fz-9; FzE6; HFz9; Frizzled (Drosophila) Homolog 9; Frizzled Homolog 9 (Drosophila); Frizzled Homolog 9; CD349 Antigen

### **Background:**

UniProt Entry: [O00144](#);NCBI Gene Entry: [8326](#)

### **Application Information**

Molecular Weight: Predicted, 64 kDa, observed, 50 kDa Clonality: Rabbit monoclonal antibody Clone ID: 24GB5995 Species Reactivity: Human Applications Used: Western Blotting (WB), Immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human Frizzled 9 / CD349

### **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### Storage


Store at -20 °C for one year.

### Recommended Dilutions


Western Blotting (WB): 1:1,000-1:5,000 Immunocytochemistry (IC): 1:1,000

### Protocols

For general and specific antibody protocols please visit our website. Read all instructions before using this product.



Western blotting analysis using anti-frizzled class receptor 9 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using FeQ™ ECL Substrate Kit .



Western blotting analysis using anti-frizzled class receptor 9 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using NaQ™ ECL Substrate Kit 1:1,000. Nuclei were stained blue with DAPI; Frizzled class receptor 9 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20  $\mu$ m.