



SunLong Biotech Co.,LTD  
Tel: 0086-571- 56623320 Fax:0086-571- 56623318  
E-mail:sales@sunlongbiotech.com  
www.sunlongbiotech.com

## **[KD-Validated] Anti-Paraoxonase 2 Rabbit Monoclonal Antibody**

Cat No.: KD-10700

### **Aliases:**

Paraoxonase 2; Serum Paraoxonase/Arylesterase 2; Serum Aryldialkylphosphatase 2; Aromatic Esterase 2; Paraoxonase Nirs; Arylesterase 2; A-Esterase 2; PON 2; EC 3.1.1.81; EC 3.1.1.2

### **Background:**

UniProt Entry: [Q15165](#);NCBI Gene Entry: [5445](#)

### **Application Information**

Molecular Weight: Predicted, 39 kDa, observed, 39,41 kDa Clonality: Rabbit monoclonal antibody Clone ID: 24GB1035 Spcies Reacnivity: Human Applctanions Tsed: Western Blotting (WB), Flow Cytometry (FCM)

### **Immunogen**

A synthesized peptide derived from human PON2

### **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### Storage


Store at -20 °C for one year.

### Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000 Flow Cytometry (FCM): 1:2,000


### Protocols

For general and specific antibody protocols please visit our website. Read all instructions before using this product.




## Paraoxonase 2-Alexa Fluor<sup>®</sup> 647

Flow cytometric analysis of Paraoxonase 2 expression in HepG2 cells using anti-Paraoxonase 2 antibody 1:2,000. Green, isotype control; red, Paraoxonase 2.



Western blotting analysis using anti-Paraoxonase 2 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using FeQ™ ECL Substrate Kit .



Western blotting analysis using anti-Paraoxonase 2 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using NaQ™ ECL Substrate Kit .