



SunLong Biotech Co.,LTD
Tel: 0086-571- 56623320 Fax:0086-571- 56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[KD-Validated] Anti-Ring Finger Protein 2 Rabbit Monoclonal Antibody

Cat No.: KD-10788

Aliases:

RNF2; Ring Finger Protein 2; RING1B; HIPI3; BAP1; DING; BAP-1; RING2; Huntingtin-Interacting Protein 2-Interacting Protein 3; RING-Type E3 Ubiquitin Transferase RING2; E3 Ubiquitin-Protein Ligase RING2; HIP2-Interacting Protein 3; RING Finger Protein BAP-1; RING Finger Protein 1B; Protein DinG; RING Finger Protein; EC 2.3.2.27; EC 6.3.2; LUSYAM; RING1b

Background:

UniProt Entry: [Q99496](#);NCBI Gene Entry: [6045](#)

Application Information

Molecular Weight: Predicted, 38 kDa, observed, 38 kDa Clonality: Rabbit monoclonal antibody Clone ID: 24GB5455 Species Reactivity: Human, Mouse, Rat Applications Tested: Western Blotting (WB), Flow Cytometry (FCM)

Immunogen

A synthesized peptide derived from human RING2 / RING1B / RNF2

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage


Store at -20 °C for one year.

Recommended Dilutions


Western Blotting (WB): 1:1,000-1:5,000 Flow Cytometry (FCM): 1:2,000

Protocols

For general and specific antibody protocols please visit our website. Read all instructions before using this product.



Western blotting analysis using anti-ring finger protein 2 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using NaQ™ ECL Substrate Kit 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using FeQ™ ECL Substrate Kit .



Ring finger protein 2-Alexa Fluor[®] 647

Flow cytometric analysis of Ring finger protein 2 expression in HeLa cells using anti-Ring finger protein 2 antibody 1:2,000. Green, isotype control; red, Ring finger protein 2.