



SunLong Biotech Co.,LTD  
Tel: 0086-571- 56623320 Fax:0086-571- 56623318  
E-mail:sales@sunlongbiotech.com  
www.sunlongbiotech.com

## **[KD-Validated] Anti-ROCK2 Rabbit Monoclonal Antibody**

Cat No.: KD-10790

### **Aliases:**

ROCK2; Rho Associated Coiled-Coil Containing Protein Kinase 2; Rho-Associated, Coiled-Coil-Containing Protein Kinase II; Rho-Associated Protein Kinase 2; P164 ROCK-2; EC 2.7.11.1; ROCK-II; Rho-Associated, Coiled-Coil-Containing Protein Kinase 2; Rho Kinase 2; EC 2.7.11; KIAA0619

### **Background:**

UniProt Entry: [O75116](#);NCBI Gene Entry: [9475](#)

### **Application Information**

Molecular Weight: Predicted, 161 kDa, observed, 161 kDa Clonality: Rabbit monoclonal antibody Clone ID: 23GB2030 Species Reactivity: Human, Mouse, Rat Applications Tested: Western Blotting (WB), Flow Cytometry (FCM), Immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human ROCK2

### **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### Storage


Store at -20 °C for one year.

### Recommended Dilutions


Western Blotting (WB): 1:1,000-1:5,000 Flow Cytometry (FCM): 1:2,000  
Immunocytochemistry (IC): 1:1,000

### Protocols


For general and specific antibody protocols please visit our website. Read all instructions before using this product.




Flow cytometric analysis of ROCK2 expression in HepG2 cells using ROCK2 antibody 1:2,000. Green, isotype control; red, ROCK2.



Immunocytochemical staining of HepG2 cells with ROCK2 antibody 1:1,000. Nuclei were stained blue with DAPI; ROCK2 cochaperone 3 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20  $\mu$ m.



Western blotting analysis using anti-ROCK2 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using FeQ™ ECL Substrate Kit .



Western blotting analysis using anti-ROCK2 antibody 1:5,000 and HRP-conjugated goat anti-rabbit secondary antibody 1:20,000 respectively. Image was developed using FeQ™ ECL Substrate Kit .