

Goat Anti-Human IgM / AP antibody

SL0345G-AP

Product Name	Goat Anti-Human IgM / AP
Chinese Name	碱性磷酸酶 (AP) 标记的羊抗人 IgM
Alias	Goat Anti-Human IgM (AP); Immunoglobulin M;
Immunogen Species	Goat
Clonality	Polyclonal
React Species	Human, WB=1:1000-10000,IHC-P=1:100-500,IHC-F=1:100-1000,ELISA=1:1000-10000
Applications	not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Form	Liquid
Concentration	1.0 mg/ml
immunogen	Native Human IgM
Lsotype	IgG
Purification	affinity purified by Protein G
Buffer Solution	10 mM TBS (pH=7.4) with 1% BSA, 3% Proclin300 and 50% glycerol.
Storage	Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Attention	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications. IgM normally constitutes about 10% of serum immunoglobulins. IgM antibody is prominent in early immune responses to most antigens and is largely confined to plasma due to it's large size. Monomeric IgM is expressed as a membrane bound antibody on the surface of B cells and as a pentamer when secreted by plasma cells. Due to it's high valency IgM is more efficient than other isotypes is binding antigens with repeating epitopes (virus particles and red blood cells) and is more efficient than IgG in activating the complement pathway. The gene for the mu constant region contains four domains separated by short intervening sequences.
Product Detail	