

Rabbit Anti-DPPA2 antibody

SL0597R

Product Name	DPPA2
Chinese Name	多能发育相关基因 2 抗体
Alias	Developmental Pluripotency Associated 2; developmental pluripotency associated gene2; PESCRG1; Pluripotent embryonic stem cell related protein 1; cancer/testis antigen 100; CT100; developmental pluripotency-associated gene 2; developmental pluripotency-associated protein 2; ECAT15-2; embryonic stem cell (ESC) associated transcript 15-2; PESCRG1; Pluripotent embryonic stem cell related protein 1; Pluripotent embryonic stem cell-related gene 1; Pluripotent embryonic stem cell-related gene 1 protein .
Research Area	Cell biology immunology Developmental biology Neurobiology
Immunogen Species	Rabbit
Clonality	Polyclonal
React Species	(predicted: Human, Mouse, Rat,) ELISA=1:5000-10000
Applications	not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Theoretical molecular weight	34kDa
Cellular localization	The nucleus
Form	Liquid
Concentration	1mg/ml
immunogen	KLH conjugated synthetic peptide derived from human DPPA2: 211-301/301
Lsotype	IgG
Purification	affinity purified by Protein A
Buffer Solution	1M TBS(pH7.4) with 1% BSA, 3% Proclin300 and 50% Glycerol.
Storage	Shipped at 4°C. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles.
Attention	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

PubMed

[PubMed](#)

SCRG1 (scrapie-responsive protein 1) is a 98 amino acid secreted protein that belongs to the SCRG1 family. The SCRG1 protein contains a 20-amino acid signal peptide, and is expressed abundantly in the central nervous system of human adult, but not at all in fetal brain. The protein is targeted to the Golgi apparatus and large dense-core vesicles/secretory granules in neurons. High levels of SCRG1 transcripts are also observed in testis and aorta. SCRG1 is associated with neurodegenerative changes observed in transmissible spongiform encephalopathies. It may play a role in host response to prion-associated infections. The SCRG1 protein may be partly included in the membrane or secreted by the cells due to its hydrophobic N-terminus. The human and mouse SCRG1 proteins share 83% sequence identity. The SCRG1 gene is conserved in chimpanzee, cow, mouse, rat and chicken, and maps to human chromosome 4q34.1.

Function:

Dppa2 is a SAP domain protein expressed only in pluripotent cells and the developing germ line.

Subcellular Location:

Secreted.

Product Detail

Tissue Specificity:

Expressed abundantly in the central nervous system of adult, but not at all in fetal brain. High levels of SCRG1 transcripts are also observed in testis and aorta.

Similarity:

Belongs to the SCRG1 family.

SWISS:

Q7Z7J5

Gene ID:

151871

Database links:

[Entrez Gene: 151871](#) Human

[Entrez Gene: 73703](#) Mouse

[Omim: 614445](#) Human



SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[SwissProt: Q7Z7J5](#) Human

[SwissProt: Q9CWH0](#) Mouse

[Unigene: 351113](#) Human

[Unigene: 27857](#) Mouse