

Rabbit Anti-GAPDh , Alexa Fluor® 680 conjugated antibody

SL10900R-AF680

Product Name	GAPDH, Bodipy Fluor 680 conjugated
Chinese Name	AF680 标记的 3-磷酸甘油醛脱氢酶（内参）抗体
Alias	38 kDa BFA-dependent ADP-ribosylation substrate; Aging-associated gene 9 protein; BARS-38; cb609; EC 1.2.1.12; G3PD; G3PDH; GAPD; Glyceraldehyde 3 phosphate dehydrogenase;Glyceraldehyde 3 phosphate dehydrogenase liver;Glyceraldehyde 3 phosphate dehydrogenase muscle; KNC-NDS6; MGC102544; MGC102546; MGC103190; MGC103191; MGC105239; MGC127711; MGC88685; OCAS, p38 component; OCT1 coactivator in S phase, 38-KD component; wu:fb33a10.
Research Area	Tumour Cell biology immunology Signal transduction The new supersedes the old
Immunogen Species	Rabbit
Clonality	Polyclonal
React Species	Human,Mouse,Rat(predicted:Hamster) IF=1:100-500
Applications	not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Theoretical molecular weight	38kDa
Cellular localization	The nucleus cytoplasmic The cell membrane
Form	Liquid
Concentration	1mg/ml
immunogen	Recombinant human GAPDH full length protein
Lsotype	IgG
Purification	affinity purified by Protein A
Buffer Solution	1M TBS(pH7.4) with 1% BSA, 3% Proclin300 and 50% Glycerol.
Storage	Shipped at 4°C. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles.

Attention

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

PubMed

[PubMed](#)

Glyceraldehyde 3 phosphate dehydrogenase (GAPDH) is well known as one of the key enzymes involved in glycolysis. As well as functioning as a glycolytic enzyme in cytoplasm, recent evidence suggests that mammalian GAPDH is also involved in a great number of intracellular processes such as membrane fusion, microtubule bundling, phosphotransferase activity, nuclear RNA export, DNA replication, and DNA repair. During the last decade a lot of data appeared concerning the role of GAPDH in different pathologies including prostate cancer progression, programmed neuronal cell death, age related neuronal diseases, such as Alzheimer's and Huntington's disease. GAPDH is expressed in all cells. It is constitutively expressed in almost all tissues at high levels. There are however some physiological factors such as hypoxia and diabetes that increase GAPDH expression in certain cell types. GAPDH molecule is composed of four 36kDa subunits.

SWISS:

P04406

Gene ID:

2597

Product Detail

Database links:

[Entrez Gene: 374193](#) Chicken

[Entrez Gene: 2597](#) Human

[Entrez Gene: 100042025](#) Mouse

[Entrez Gene: 14433](#) Mouse

[Entrez Gene: 24383](#) Rat

[Entrez Gene: 685186](#) Rat

[Entrez Gene: 317743](#) Zebrafish

[Omim: 138400](#) Human

[SwissProt: P00356](#) Chicken

[SwissProt: P04406](#) Human

[SwissProt: P16858](#) Mouse

[SwissProt: P04797](#) Rat



SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[SwissProt: Q5XJ10](#) Zebrafish