SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[Marker Primary Antibody]

Rabbit Anti-COX7A1/Biotin Conjugated antibody

Catalog Number: SL14010R-Bio

FOR RESEARCH USE ONLY

[DATASHEET]

Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Target:	Anti-COX7A1/Biotin
Immunogen:	KLH conjugated synthetic peptide derived from human COX7A1
Purification:	affinity purified by Protein A
Concentration:	1mg/ml
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 1M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
Applications:	IHC-P=1:100-500 IHC-F=1:100-500 ICC/IF=1:50-200 IF=1:100-500 not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Reactivity:	(predicted:Human)
Background:	background: Cytochrome c oxidase (COX), the terminal component of the mitochondrial respiratory chain, catalyzes the electron transfer from reduced cytochrome c to oxygen. This component is a heteromeric complex consisting of 3 catalytic subunits encoded by mitochondrial genes and multiple structural subunits encoded by nuclear genes. The mitochondrially-encoded subunits function in electron transfer, and the nuclear-encoded subunits may function in the regulation and assembly of the complex. This nuclear gene encodes polypeptide 1 (muscle isoform) of subunit VIIa and the polypeptide 1 is present only in muscle tissues. Other polypeptides of subunit VIIa are present in both muscle and nonmuscle tissues, and are encoded by different genes. [provided by RefSeq, Jul 2008] **Function:** This protein is one of the nuclear-coded polypeptide chains of

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

	cytochrome c oxidase, the terminal oxidase in mitochondrial electron transport. **Subcellular Location:** Mitochondrion inner membrane. **Tissue Specificity:** Belongs to the cytochrome c oxidase VIIa family. **Similarity:** Belongs to the cytochrome c oxidase VIIa family. **Database links:** **Entrez Gene:** 1346 Human Omim: 123995 Human **SwissProt:** P24310 Human **Unigene:** 421621 Human Important **Note:** This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.