

Rabbit Anti-DENND5A antibody

SL14274R

Product Name DENND5A

Chinese Name DENND5A 蛋白抗体

Alias DEN5A_HUMAN; DENN domain-containing protein 5A; DENN/MADD domain containing 5A; Dennd5a; FLJ22354; FLJ33829; FLJ43455;; KIAA1091; RAB6 interacting protein 1; Rab6-interacting protein 1; Rab6IP1.

Research Area Cell biology immunology Signal transduction

Immunogen Species Rabbit

Clonality Polyclonal

React Species Mouse,Rat(predicted:Human,Chicken,Dog,Pig,Cow,Horse,Rabbit,Sheep)
IHC-P=1:100-500,IHC-F=1:100-500,IF=1:100-500 (Paraffin sections need antigen repair)

Applications not yet tested in other applications.
optimal dilutions/concentrations should be determined by the end user.

Theoretical molecular weight 147kDa

Cellular localization cytoplasmic

Form Liquid

Concentration 1mg/ml

immunogen KLH conjugated synthetic peptide derived from human DENND5A: 51-150/1287

Lsotype IgG

Purification affinity purified by Protein A

Buffer Solution 1M TBS(pH7.4) with 1% BSA, 3% Proclin300 and 50% Glycerol.


Storage Shipped at 4°C. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles.

Attention This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.


PubMed [PubMed](#)

**Product
Detail**

**Product
Picture**



Paraformaldehyde-fixed, paraffin embedded (rat brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (DENND5A) Polyclonal Antibody, Unconjugated (SL14274R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.



Paraformaldehyde-fixed, paraffin embedded (mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (DENND5A) Polyclonal Antibody, Unconjugated (SL14274R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.