SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[Primary Antibody]

Rabbit Anti-CDH23 antibody

Catalog Number: SL15498R

FOR RESEARCH USE ONLY

[DATASHEET]

Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Target:	CDH23
Immunogen:	KLH conjugated synthetic peptide derived from human CDH23 : 51-150/3354 <Extracellular>
Purification:	affinity purified by Protein A
Concentration:	1mg/ml
Storage:	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4℃. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles.
Applications:	IHC-P=1:100-500 IHC-F=1:100-500 IF=1:100-500 （Paraffin sections need antigen repair） not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Reactivity:	Human(predicted:Mouse,Rat,Dog,Cow,Horse,Sheep)
Predicted MW.:	367kDa
Subcellular Location:	The cell membrane
Background:	This gene is a member of the cadherin superfamily, whose genes encode calcium dependent cell-cell adhesion glycoproteins. The encoded protein is thought to be involved in stereocilia organization and hair bundle formation. The gene is located in a region containing the human deafness loci DFNB12 and USH1D. Usher syndrome 1D and nonsyndromic autosomal recessive deafness DFNB12 are caused by allelic mutations of this cadherin-like gene. Upregulation of this gene may also be associated with breast cancer. Alternative splice variants encoding different isoforms have been described. [provided by RefSeq, May 2013]. **Function:** Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells. CDH23 is required for establishing and/or maintaining the proper

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

	organization of the stereocilia bundle of hair cells in the cochlea and the vestibule during late embryonic/early postnatal development. It is part of the functional network formed by USH1C, USH1G, CDH23 and MYO7A that mediates mechanotransduction in cochlear hair cells. Required for normal hearing. **Subunit:** Interacts with PCDH15. Interacts with USH1C and USH1G. **Subcellular Location:** Cell membrane; Single-pass type I membrane protein. **Tissue Specificity:** Particularly strong expression in the retina. Found also in the cochlea. DISEASE: Usher syndrome 1D (USH1D) [MIM:601067]: USH is a genetically heterogeneous condition characterized by the association of retinitis pigmentosa with sensorineural deafness. Age at onset and differences in auditory and vestibular function distinguish Usher syndrome type 1 (USH1), Usher syndrome type 2 (USH2) and Usher syndrome type 3 (USH3). USH1 is characterized by profound congenital sensorineural deafness, absent vestibular function and prepubertal onset of progressive retinitis pigmentosa leading to blindness. Note=The disease is caused by mutations affecting the gene represented in this entry. Usher syndrome 1D/F (USH1DF) [MIM:601067]: USH1DF patients are heterozygous for mutations in CDH23 and PCDH15, indicating a digenic inheritance pattern. Note=The disease is caused by mutations affecting distinct genetic loci, including the gene represented in this entry. Deafness, autosomal recessive, 12 (DFNB12) [MIM:601386]: A form of non-syndromic sensorineural hearing loss. Sensorineural deafness results from damage to the neural receptors of the inner ear, the nerve pathways to the brain, or the area of the brain that receives sound information. Note=The disease is caused by mutations affecting the gene represented in this entry. **Similarity:** Contains 27 cadherin domains. **Database links:** **Entrez Gene:** 64072 Human **Entrez Gene:** 22295 Mouse **Entrez Gene:** 114102 Rat Omim: 605516 Human **SwissProt:** Q9H251 Human **SwissProt:** Q99PF4 Mouse **SwissProt:** P58365 Rat **Unigene:** 656032 Human **Unigene:** 208796 Rat

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.


SunLong Biotech Co.,LTD

Tel: 0086-571-56623320 Fax:0086-571-56623318

E-mail:sales@sunlongbiotech.com

www.sunlongbiotech.com

[VALIDATION IMAGES]



Paraformaldehyde-fixed, paraffin embedded (human colon carcinoma); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (CDH23) Polyclonal Antibody, Unconjugated (SL15498R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.

Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.