# Eukaryotic Cluster Of Differentiation 5 (CD5) Instruction Manual

# SFPB180Hu61

### Homo sapiens (Human)

Source	Eukaryotic expression
Host	293F cell
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane
Predicted Molecular Mass	40.3kDa
Accurate Molecular Mass	50kDa(Analysis of differences refer to the manual)
Residues & Tags	Arg25~Pro372 with N-terminal His Tag
<b>Buffer Formulation</b>	PBS, pH7.4, containing 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	7.9
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

#### SEQUENCE

RLSWYD PDFQARLTRS NSKCQGQLEV YLKDGWHMVC SQSWGRSSKQ WEDPSQASKV CQRLNCGVPL SLGPFLVTYT PQSSIICYGQ LGSFSNCSHS RNDMCHSLGL TCLEPQKTTP PTTRPPPTTT PEPTAPPRLQ LVAQSGGQHC AGVVEFYSGS LGGTISYEAQ DKTQDLENFL CNNLQCGSFL KHLPETEAGR AQDPGEPREH QPLPIQWKIQ NSSCTSLEHC FRKIKPQKSG RVLALLCSGF QPKVQSRLVG GSSICEGTVE VRQGAQWAAL CDSSSARSSL RWEEVCREQQ CGSVNSYRVL DAGDPTSRGL FCPHQKLSQC HELWERNSYC KKVFVTCQDP NP

#### USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

www.sunlongbiotech.com | sales@sunlongbiotech.com | +86 571 56623320