Eukaryotic Fibrinogen Gamma (FGg) Instruction Manual

SFPC655Hu51

Homo sapiens (Human)

Source Eukaryotic expression

Host Yeast

Endotoxin Level <1.0EU per 1ug (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass29.8kDa

Accurate Molecular Mass 30kDa(Analysis of differences refer to the manual)

Residues & Tags Lys166~Asn416 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 5.7

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

KDTVQ IHDITGKDCQ DIANKGAKQS GLYFIKPLKA
NQQFLVYCEI DGSGNGWTVF QKRLDGSVDF KKNWIQYKEG FGHLSPTGTT
EFWLGNEKIH LISTQSAIPY ALRVELEDWN GRTSTADYAM FKVGPEADKY
RLTYAYFAGG DAGDAFDGFD FGDDPSDKFF TSHNGMQFST WDNDNDKFEG
NCAEQDGSGW WMNKCHAGHL NGVYYQGGTY SKASTPNGYD NGIIWATWKT
RWYSMKKTTM KIIPFN

USAGE


Reconstitute in PBS or others.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.