

Eukaryotic Sjogren Syndrome Antigen B (SSB) Instruction Manual

SFPD659Hu62

Homo sapiens (Human)

Source	Eukaryotic expression
Host	CHO Cell
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Nucleus
Predicted Molecular Mass	55.7kDa
Accurate Molecular Mass	60kDa(Analysis of differences refer to the manual)
Residues & Tags	Tyr24~Leu233 with N-terminal His Tag and C-terminal Fc Region of Human IgG1
Buffer Formulation	PBS, pH7.4, containing 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 97%
Isoelectric Point	8.4
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
YFGDFNL PRDKFLKEQI KLDEGWVPLE  
IMIKFNRLNR LTTDFNVIVE ALSKSKAELM EISEDKTKIR RSPSKPLPEV  
TDEYKNDVKN RSVYIKGFPT DATLDDIKEW LEDKGQVLNI QMRRTLHKAF  
KGSIFVVFDS IESAKKFVET PGQKYKEDL LILFKDDYFA KKNEERKQNK  
VEAKLRAKQE QEAKQKLEED AEMKSLEEKI GCL
```

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.