SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Cluster Of Differentiation 4 (CD4)

Catalog Number: SIPB496Rb01 **Spec: 10ug**

Product Name	Recombinant Cluster Of Differentiation 4 (CD4)
Catalog Number	SIPB496Rb01
Organism Species	Rabbit
Source	Prokaryotic expression
Host	E.coli
Residues	Val29~Pro396
Tags	N-terminal His and GST Tag
Subcellular Location	Membrane
Purity	> 90%
Traits	Freeze-dried powder
Buffer formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.
Original Concentration	100μg
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	8.7
Predicted Molecular Mass	70.6kDa
Accurate Molecular Mass	71kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined


SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

VR GKAGAIVELP CQSSQKRNSV
FNWKHANQVK ILGNQGSSSS SFWLKGNSPL SNRVESKKNM WDQGSFPLVI
KDLRMDDSGT YICEVGDKKM EVELLVFRLT ANPNTRLLHG QSLTLTLEGP
SVGSPSVQWK SPENKIIETG PTCSMPKLRL QDSGTWSCHL SFQDQNKLEL
DIKIIVLGFP KASATVYKKE GEQVEFSFPL NFEDESLSGE LMWQVDGASS
AQSWVSFSLE DRKVSVQKIL PDLKIQMSKG LPLSLTLPQA LHRYAGSGNL
SLTLDKGKLH QQVSLVMLKV TQVKNKLTCE VLGPIDPKMK LSLKLEDQEA
KVSTQKMVQV LDPKAGTWQC LLSSGDQVLL ESKADVLATG LSHQQP

[IDENTIFICATION]



15% SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.