SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Telomeric Repeat Binding Factor 1 (TERF1)

Catalog Number: SIPC175Hu01 **Spec: 50ug**

Product Name	Recombinant Telomeric Repeat Binding Factor 1 (TERF1)
Catalog Number	SIPC175Hu01
Organism Species	Human
Source	Prokaryotic expression
Host	E.coli
Residues	Ile148~Lys428
Tags	N-terminal His and GST Tag
Subcellular Location	Nucleus, Cytoplasm, Chromosome
Purity	> 97%
Traits	Freeze-dried powder
Buffer formulation	PBS, pH7.4, containing 0.05% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Original Concentration	200μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	9.2
Predicted Molecular Mass	62.7kDa
Accurate Molecular Mass	60kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

ITP
LESALMIWGS IEKEHDKLHE EIQNLIKIQA IAVCMENGNF KEAEEVFERI
FGDPNSHMPF KSKLLMIISQ KDTFHSFFQH FSYNHMMEKI KSYVNYVLSE
KSSTFLMKAA AKVVESKRTR TITSQDKPSG NDVEMETEAN LDTRKSVSDK
QSAVTESSEG TVSLLRSHKN LFLSKLQHGT QQQDLNKKER RVGTPQSTKK
KKESRRATES RIPVSKSQPV TPEKHRARKR QAWLWEEDKN LRSGVRKYGE
GNWSKILLHY KFNNRTSVML KDRWRTMK

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.