SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant 5-Hydroxytryptamine Receptor 1A (HTR1A)

Catalog Number: SIPC380Hu02 **Spec: 200ug**

Product Name	Recombinant 5-Hydroxytryptamine Receptor 1A (HTR1A)
Catalog Number	SIPC380Hu02
Organism Species	Human
Source	Prokaryotic expression
Host	E.coli
Residues	Met1~Gln422
Tags	His and TrxA Taq
Subcellular Location	Membrane
Purity	> 80%
Traits	Freeze-dried powder
Buffer formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose .
Original Concentration	80μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	9.1
Predicted Molecular Mass	66.5kDa
Accurate Molecular Mass	70kDa as determined by SDS-PAGE reducing conditions.
Phenomenon explanation	The possible reasons that the actual band size differs from the predicted are as follows: 1.Splice variants: Alternative splicing may create different sized proteins from the same gene. 2. Relative charge: The composition of amino acids may affects the charge of the protein. 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc. 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form. 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in ddH2O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

MDVLSPGQGN NTTSPPAPFE TGGNTTGISD VTVSYQVITS LLLGTLIFCA
VLGNACVVAA IALERSLQNV ANYLIGSLAV TDLMVSVLVL PMAALYQVLN
KWTLGQVTCD LFIALDVLCC TSSILHLCAI ALDRYWAITD PIDYVNKRTP
RRAAALISLT WLIGFLISIP PMLGWRTPED RSDPDACTIS KDHGYTIYST
FGAFYIPLLL MLVLYGRIFR AARFRIRKTV KKVEKTGADT RHGASPAPQP
KKSVNGESGS RNWRLGVESK AGGALCANGA VRQGDDGAAL EVIEVHRVGN
SKEHLPLPSE AGPTPCAPAS FERKNERNAE AKRKMALARE RKTVKTLGII
MGTFILCWLP FFIVALVLPF CESSCHMPTL LGAIINWLGY SNSLLNPVIY
AYFNKDFQNA FKKIIKCKFC RQ

[IDENTIFICATION]




Figure . Gene Sequencing (extract)

SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.