SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Tryptase Beta 2 (TPSb2)

Catalog Number: SIPD173Ra01 **Spec: 10ug**

Product Name	Recombinant Tryptase Beta 2 (TPSb2)
Catalog Number	SIPD173Ra01
Organism Species	Rat
Source	Prokaryotic expression.
Host	E. coli
Residues	Ile30~Ser274
Tags	N-terminal His-Tag
Subcellular Location	Secreted.
Purity	>98%
Traits	Freeze-dried powder
Buffer formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% sarcosyl, 5%Trehalose and Proclin300.
Original Concentration	200ug/mL
Applications	SDS-PAGE; WB; ELISA; IP; CoIP; Purification; Amine Reactive Labeling. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	5.9
Predicted Molecular Mass	31.2kDa
Accurate Molecular Mass	35kDa as determined by SDS-PAGE reducing conditions.
Phenomenon explanation	The possible reasons that the actual band size differs from the predicted are as follows: 1. Splice variants: Alternative splicing may create different sized proteins from the same gene. 2. Relative charge: The composition of amino acids may affects the charge of the protein. 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc. 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form. 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

SUNLONG

SunLong Biotech Co.,LTD

Tel: 0086-571-56623320 Fax:0086-571-56623318

E-mail:sales@sunlongbiotech.com

www.sunlongbiotech.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8oC for one month.

Aliquot and store at -80oC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37oC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

I VGGREASESK WPWQVSLRFK
FSFWMHFCGG SLIHPQWVLT AAHCVGLHIK SPELFRVQLR EQYLYYADQL
LTVNRTVVHP HYYTVEDGAD IALLELEIPV NVSTHIHPIS LPPASETFPS
GTSCWVTGWG DIDSDEPLLP PYPLKQVKVP IVENSLCDRK YHTGLYTGDD
VPIVQDGMLC AGNTRSDSCQ GDSGGPLVCK VKGTWLQAGV VSWGEGCAEA
NRPGIYTRVT YYLDWIHRYV PQRS

[IDENTIFICATION]




Figure 1. Gene Sequencing (Extract)

SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com




Figure 2. SDS-PAGE