SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Fibrinogen Like Protein 1 (FGL1)

Catalog Number: SIPD490Mu01 **Spec: 50ug**

Product Name	Recombinant Fibrinogen Like Protein 1 (FGL1)
Catalog Number	SIPD490Mu01
Organism Species	Mouse
Source	Prokaryotic expression
Host	E.coli
Residues	Leu23~Ile314
Tags	N-terminal His Tag
Subcellular Location	Secreted
Purity	> 97%
Traits	Freeze-dried powder
Buffer formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Original Concentration	200μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	5.5
Predicted Molecular Mass	40.7kDa
Accurate Molecular Mass	40kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

LESESCLR EQVRLRAQVH QLETRVKQQQ
TMIAQLLHEK EVQFLDKGSE NSFIDLGGKR QYADCSEIYN DGFKQSGFYK
IKPLQSLAEF SVYCDMSDGG GWTVIQRRSD GSENFNRGWN DYENGFGNFV
QNNGEYWLGN KNINLLTIQG DYTLKIDLTD FEKNSSFAQY QSFKVGDKKS
FYELNIGEYS GTAGDSLSGT FHPEVQWWAS HQRMKFSTWD RDNDNYQGNC
AEEEQSGWWF NRCHSANLNG VYYRGSYRAE TDNGVVWYTW HGWWYSLKSV
VMKIRPSDFI PNII

[IDENTIFICATION]




Figure . Gene Sequencing (extract)




Figure. SDS-PAGE

SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.