SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Fibrinogen Like Protein 1 (FGL1)

Catalog Number: SIPD490Ra01 **Spec: 100ug**

Product Name	Recombinant Fibrinogen Like Protein 1 (FGL1)
Catalog Number	SIPD490Ra01
Organism Species	Rat
Source	Prokaryotic expression
Host	E.coli
Residues	Leu23~Val314 (Accession # Q5M8C6)
Tags	N-terminal GST Tag
Subcellular Location	Secreted
Purity	> 95%
Traits	Freeze-dried powder
Buffer formulation	pH7.4, containing 0.01% SKL, 5% Trehalose
Original Concentration	200μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	5.86
Predicted Molecular Mass	60.8kDa
Accurate Molecular Mass	64kDa as determined by SDS-PAGE reducing conditions.
Phenomenon explanation	The possible reasons that the actual band size differs from the predicted are as follows: 1.Splice variants: Alternative splicing may create different sized proteins from the same gene. 2. Relative charge: The composition of amino acids may affects the charge of the protein. 3. Post-translational modification: Phosphorylation, glycosylation, methylation etc. 4. Post-translation cleavage: Many proteins are synthesized as pro-proteins, and then cleaved to give the active form. 5. Polymerization of the target protein: Dimerization, multimerization etc.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex

SUNLONG

SunLong Biotech Co.,LTD

Tel: 0086-571-56623320 Fax:0086-571-56623318

E-mail:sales@sunlongbiotech.com

www.sunlongbiotech.com

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.


Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

LGDENCLQ EQVRLRAQVR QLETRVKQQQ VVIAQLLHEK EVQFLDRGQE
DSFIDLGGKR HYADCSEIYN DGFKHSGFYK IKPLQSLAEF SVYCDMSDGG
GWTVIQRRSD GSENFNRGWN DYENGFGNFV QSNGEYWLGNKNINLLTMQG
DYTLKIDLTD FEKNSRFAQY EKFKVGDEKS FYELNIGEYS GTAGDSLSGT
FHPEVQWWAS HQTMKFSTRDRDNDNYNGNCAEEEQSGWWFNRCHSANLNG
VYYQGPYRAE TDNGVVWYTW RGWWYSLKSV VMKIRPSDFI PNIV

[IDENTIFICATION]



15% SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.