SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Phenylalanyl tRNA Synthetase Alpha (FARSa)

Catalog Number: SIPG078Hu01 **Spec: 100ug**

Product Name	Recombinant Phenylalanyl tRNA Synthetase Alpha (FARSa)
Catalog Number	SIPG078Hu01
Organism Species	Human
Source	Prokaryotic expression
Host	E.coli
Residues	Ala2~Ala283
Tags	N-terminal His Tag
Subcellular Location	Cytoplasm
Purity	> 90%
Traits	Freeze-dried powder
Buffer formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.
Original Concentration	200μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	6.0
Predicted Molecular Mass	35.4kDa
Accurate Molecular Mass	35kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

ADGQVAELL LRRLEASDGG LDSAELAAEL GMEHQAVVGA VKSLQALGEV IEAELRSTKH WELTAEGEEI AREGSHEARV
FRSIPPEGLA QSELMRLPSG KVGFSKAMSN KWIRVDKSAA DGPRVFRVVD SMEDEVQRRL QLVRGGQAEK LGEKERSELR
KRKLLAEVTL KTYWVSKGSA FSTSISKQET ELSPEMISSG SWRDRPFKPY NFLAHGVLPD SGHLHPLLKV RSQFRQIFLE
MGFTEMPTDN FIESSFWNFD ALFQPQQHPA RDQHDTFFLR DPA

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.