SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Replication Initiator 1 (REPIN1)

Catalog Number: SIPG382Mu01 **Spec: 100ug**

Product Name	Recombinant Replication Initiator 1 (REPIN1)
Catalog Number	SIPG382Mu01
Organism Species	Mouse
Source	Prokaryotic expression
Host	E.coli
Residues	Pro30~Pro298
Tags	N-terminal His Tag
Subcellular Location	Nucleus
Purity	> 97%
Traits	Freeze-dried powder
Buffer formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.
Original Concentration	200μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	10.8
Predicted Molecular Mass	34.6kDa
Accurate Molecular Mass	35kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

SUNLONG

SunLong Biotech Co.,LTD

Tel: 0086-571-56623320 Fax:0086-571-56623318

E-mail:sales@sunlongbiotech.com


www.sunlongbiotech.com

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

P DRGLRYQGKS AQPRGQTPGK VHRCAHCRKR FPGWVALWLH ARRCQARLPL PCHECNQRFR HAPFLALHLQ VHASAVPDLG
FICHLCGHSF RGWVALVLHL RAHSASKRPI TCPECDRRFW RQKQLRAHLR RCQPPVPEAR PFICGNCGRS FAQWDQLVVH KRVHVAEALE
EAAAKALGPR PRGRPAAPRP GGDAVDRPFQ CACCGKRFRH KPNLIAHRRV HTGERPHQCP ECGKRFTNKP YLTSHRRIHT GEKPYPCTEC
GRRFRHKP

[IDENTIFICATION]



15% SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.