SunLong Biotech Co.,LTD
Tel: 0086-571-56623320 Fax:0086-571-56623318
E-mail:sales@sunlongbiotech.com
www.sunlongbiotech.com

Recombinant Cysteine Conjugate Beta Lyase 2 (CCbL2)

Catalog Number: SIPG516Mu01 **Spec: 50ug**

Product Name	Recombinant Cysteine Conjugate Beta Lyase 2 (CCbL2)
Catalog Number	SIPG516Mu01
Organism Species	Mouse
Source	Prokaryotic expression
Host	E.coli
Residues	Met1~Ser455
Tags	N-terminal His Tag
Subcellular Location	Mitochondrion, Cytoplasm
Purity	> 90%
Traits	Freeze-dried powder
Buffer formulation	PBS, pH7.4, containing 0.01% Sarcosyl, 5% Trehalose.
Original Concentration	400μg/mL
Applications	Positive Control; Immunogen; SDS-PAGE; WB. (May be suitable for use in other assays to be determined by the end user.)
Predicted isoelectric point	8.6
Predicted Molecular Mass	54.8kDa
Accurate Molecular Mass	55kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8ºC for one month.

Aliquot and store at -80ºC for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined

by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

MLLAQRRLIS LGCRSKPIKT IYSSSKVLGL CTSAKMALKF KNAKRIEGLD
SNVWVEFTK LAADPSVVNL GQGFPDISPP SYVKEELSKA AFIDNMNQYT R
GFGHPALV KALSCLYGKI YQRQIDPNEE ILVAVGAYGS LFNSIQGLVD PG
DEVIIMV PFYDCYEPMV RMAGAVPVFI PLRSKPTDGM KWTSSDWTFD PRE
LESKFS SKTKAIILNT PHNPLGKVYT RQELQVIADL CVKHDTLCIS DEVY
EWLVY TGHTHVKIAT LPGMWERTIT IGSAGKTFSV TGWKLGWSIG PAHLI
KHLQ TVQQNSFYTC ATPLQAALAE AFWIDIKRMD DPECYFNSLP KELEVK
RDR MVRLLNSVGL KPIVPDGGYF IIADVSSLGA DLSDMNSDEP YDYKFVK
WM TKHKKLTAIP VSAFCDSKSK PHFEKLVRFC FIKKDSTLDA AEEIFRAW
N SQKS

[IDENTIFICATION]




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.